

## MULTIFUNCTIONAL POS PERIPHERALS



Customer Pole Display  
Cash Drawer  
Bar Code Scanner  
Programmable Keyboard  
Magnetic Stripe Reader  
Monitor  
POS Printer



Posiflex Technology, Inc. [www.posiflex.com](http://www.posiflex.com)

## MONITOR



### TM-8115/LM-8115

- High quality 15" TFT LCD panel with no wobbling even when pressing the corners
- Recommended LCD resolution: 1024 x 768
- Easy tilt angle adjustment from 18° to 75° vertically
- Resistive touch panel in USB interface or RS232 (TM-8115)/Non-touch LCD (LM-8115)
- Up to 35 million touches in one point
- Touch beep can be pitch adjusted/enabled/disabled by software control (TM-8115)
- Connect to host through VGA port plus USB port and/or COM port (for RS232 touch model only)
- Support 2 USB ports
- Equipped with light type base (Posiflex 4.5th generation)
- Optional side mounted upgraded kit such as SD-400Z or KP-300W
- Optional VESA mounting kit for versatile applications



### TM-7117

- High quality 17" TFT LCD panel with no wobbling even when pressing the corners
- Recommended LCD resolution: 1280 x 1024
- Easy tilt angle adjustment from 15° to 70° vertically
- Resistive touch panel in USB interface or RS232 (Optional)
- Up to 35 million touches in one point
- Touch beep can be pitch adjusted/enabled/disabled by software control
- Connect to host through VGA port plus USB port and/or COM port (for RS232 touch model only)
- Support 2 USB ports
- Equipped with light type base (Posiflex 4.5th generation)
- Optional side mounted upgraded kit such as SD-400W, SD-600, SD-700, SD-800 or KP-300W
- Optional VESA mounting kit for versatile applications



## CR-4100

- "Screwless" innovation design.
- Advanced design to extend the MTBF to 1,000,000 times.
- Precision mechanism to assure wobble-free drawer movements.
- Only bill compartment adjustable on CR-4000 Series for Euro market.
- Check slot for non-cash or large-bill transaction.
- Three level lock for maximum cash security.
- Open-drawer indicator output (except CR-4X03/4).
- Intelligent interface models provide transaction security. 256 codes defined by control board switch (CR-4X02/3).
- Interface support include: printer driven, dedicated or non-dedicated serial, parallel, USB.
- Multiple Input/Output expansion connectors on intelligent interface models for cascade application.
- Smart interface models can transform to each other through switch and cable changes only.
- CR-4100 Series: Bill compartments are fixed. Bill weight is made of heavy metal material.
- Interface:
  - CR-4X00: Printer drive cash drawer.
  - CR-4X04: RS232 dedicated cash drawer.
  - CR-4X05: USB interface cash drawer.
- Dimension: 428mm(W)x460mm(D)x100mm(H).
- CR-4x05: WEPOS certified.



## CR-3100 Series

- "Screwless" innovation design.
- Adjustable bill/coin compartments on CR-3100.
- Advanced design to extend the MTBF to 1,000,000 times.
- Precision mechanism to assure wobble-free drawer movements.
- Check slot for non-cash or large-bill transaction.
- Three level lock for maximum cash security.
- Open-drawer indicator output (except CR-3103/4).
- Intelligent interface models provide transaction security. 256 codes defined by control board switch (CR-3102/3).
- Interface support include: printer driven, dedicated or non-dedicated serial, parallel.
- Multiple Input/ Output expansion connectors on intelligent interface models for cascade application.
- Smart interface models can transform to each other through switch and cable changes only.
- Interface:
  - CR-3100: Printer drive cash drawer.
  - CR-3104: RS232 dedicated cash drawer.
- Dimension: 400mm(W)x410mm(D)x85mm(H).



## CR-2200

- Flip-top design.
- Contemporary style with regular width of 460 mm and flat side surfaces.
- Rugged design with no screw to be accessed from outside.
- Aluminum alloy die cast case (both top and bottom covers).
- Advanced electronics that extends the MTBF (Mean Time Between Failure).
- Three-position lock with automatic spring back function for maximum cash security.
- Check slot with check storage underneath cash tray for non-cash or large-bill transaction without opening drawer.
- 2 fixed and 4 adjustable (total 6) bill compartments.
- 1 fixed and 7 adjustable (total 8) coin compartments. Partially adjustable in size and number by use of coin compartment separator.
- Provided with various interface selection including direct (printer) drive, dedicated RS232, USB.
- 2 color choices: Ivory and Black.
- Optional additional removable tray. Also optional tray cover with lock.
- WEPOS certified.
- Interface:
  - CR-2200: Printer drive cash drawer.
  - CR-2204: Dedicated RS232 serial cash drawer.
  - CR-2205: USB interface cash drawer.
- Security code:
  - CR-2200: N/A
  - CR-2204: N/A
  - CR-2205: USB PID.
- Dimension: 460mm(W)x175mm(D)x102mm(H).

## MAGNETIC STRIPE READER

### MR-2000 Series



- Double or triple tracks as indicated in MODEL IDENTIFICATION.
- Built-in keyboard wedge interface or RS232 interface or USB interface as indicated in MODEL IDENTIFICATION.
- Built-in decoder.
- Dual directional operation.
- Interface cable included.
- Heavy duty die-cast case.

## CUSTOMER POLE DISPLAY



PD-2800

### PD-2800

- PD-2800 is a bright two-line VFD (vacuum fluorescent display) display with 20 characters per line and combines with green or blue filter.
- Stand along customer pole display for Posiflex POS terminals.
- Easy-to-read large characters (9.03×5.25mm for PD-2800,).
- Long life and trouble free design.
- Various command emulation modes selectable by DIP switch.
- Support 12 Code Pages of 128 characters each on PD-2800.
- Support 12 international character sets of 12 characters each on PD-2800.
- USB interface with RS-232 emulation for numerous applications without modify the software.
- UPOS 1.8 and is WEPOS ready supported.
- Euro dollar sign supported in USA/European font table.
- Composed of several members in the family for versatile applications as tabulated below.

## PROGRAMMABLE KEYBOARD

### KB-6600 Series



- Powerful programming capability.
- KB-6600: programming under DOS, programming under Windows, multiple page, multiple level, whole range key content, time delay, position sense answer back code, etc.
- KB-6600U: programming under Windows, multiple page, whole range key content, time delay, position sense answer back code, etc.)
- True spill proof structure.
- Optional blank key, double key for alternative key group layout.
- Optional MSR (Magnetic Stripe Reader).
- Support two types of interface, PS2 interface for KB-6600 and USB interface for KB-6600U.
- WEPOS certified for KB-6600U.
- Construction: Spill-proof, 84 keys + 6 position control key.
- Key top size: 19 x 19 mm for normal keys.



Posiflex Technology, Inc.  
6, Wu-Chuan Road, Wu Ku, Taipei, Taiwan  
Tel: 886 2 2299-1599 Fax: 886 2 2299-1819  
sales@posiflex.com.tw www.posiflex.com

